BR-323/30-8-14

M. A. R. 57 (Rule 116)

Measurement Book

No. B 183147

Final

Reference to last Measurement 8

Repairs to Roads and Improvements & Drains in DEE - Enclave surroundings

Ward No. 08 Rajajinagar Sub Division From ..... To .....

Name of nature of Agency ~~KRIDL, Bangalore~~ M/s. Girish Enterprises, Bangalore

Name of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8
Work order no: EE/BTP/BBMP/E-PMT/WO/88/2014-15					Date: 27/08/14	
MB code: 008-14-000008						
Page code: 121.30.00 labour						
Earth work excavation by manual means in ordinary soil involving an average horizontal lead upto 2 m and average lift upto 0.5m excavated surface levelled and sides neatly finished the disposed earth lift complete.						
Drain Desilting						
In cross lys	2x2	30.00	0.45	0.40	21.60	
	2x2	30.00	0.45	0.35	18.90	
	2	17.00	0.45	0.30	4.59	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Refer to Measu 8
	2nd cross LHS	2	30.00	0.45	0.35	9.45	
		2	24.90	0.45	0.30	6.72	
	3rd cross LHS	2	30.00	0.45	0.35	9.45	
		2	24.10	0.45	0.45	9.76	
	4th cross LHS	2x2	30.00	0.45	0.35	18.90	
		2	20.00	0.45	0.30	5.40	
	5th cross LHS	2x2	30.00	0.45	0.35	18.90	
		2	30.00	0.45	0.30	9.18	
		2	32.00	0.45	0.40	11.52	
	Interior Road	2	30.00	0.45	0.30	8.10	
		2	8.00	0.45	0.35	2.52	
		2	30.00	0.45	0.35	9.45	
		2	18.10	0.45	0.40	6.52	

M. A. R. 57 (R
Measuremen

..... From .....
of nature of Agency.....
of work .....

Full description, etc, of work 2	Number 3	Dimens Length 4
	2	22.10
4th cross RHS	2	30.00
	2	23.10
4th cross RHS	2	30.00
	2	30.60
3rd cross RHS	2x2	30.00
	2	9.30
1st cross RHS	2x3	30.00
	2x2	30.00
	2	7.80

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183148

..... From ..... To .....

Name of nature of Agency.....

Name of work.....

Full description, etc. of work 2	Dimensions				Contents 7	Reference to last Measurement 8
	Number 3	Length 4	Breadth 5	Depth 6		
	2	22.10	0.45	0.40	7.96	
6th cross RHS	2	30.00	0.45	0.35	9.45	
	2	23.10	0.45	0.40	8.32	
4th cross RHS	2	30.00	0.45	0.35	9.45	
	2	30.60	0.45	0.45	12.39	
3rd cross RHS	2x2	30.00	0.45	0.35	18.90	
	2	9.30	0.45	0.40	3.35	
1st cross RHS	2x3	30.00	0.45	0.40	32.40	
	2x2	30.00	0.45	0.35	18.90	
	2	7.90	0.45	0.40	2.84	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to Measu
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
	5th cross	2×2	30.00	0.45	0.35	18.90	
		2	29.00	0.45	0.45	11.45	
	CRF	2	35.30	0.45	0.35	11.12	
	CRE	2×3	30.00	0.45	0.40	32.40	
		2	11.00	0.45	0.45	4.46	
	CRH	2×2	30.05	0.45	0.45	24.30	
		2	18.10	0.45	0.40	6.52	
		2×2	30.00	0.45	0.40	21.60	
		2	28.00	0.45	0.30	7.56	
	CRI	2	30.00	0.45	0.45	12.39	
	CRJ	2	30.00	0.45	0.30	8.10	
		2×2	30.00	0.45	0.35	18.90	
		2	28.00	0.45	0.45	11.34	

M. A. R. 57 (
Measurem

From .....

Name of Name of Agency .....

Name of work .....

Full description, etc, of work	Dime	
2	Number 3	Length 4
[illegible] 1st cross LHS	2	30.00
	2	30.00
	2	30.00
	2	30.00
	2	17.00
2nd cross LHS	2	30.00
	2	30.00
3rd cross LHS	2	30.00
	2	24.10
4th cross LHS	2	30.00
	2	30.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183149

..... From ..... To .....

Name of nature of Agency.....

Description of work.....

Full description, etc. of work	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
Earth cutting 1st cross LHS	2	30.00	0.75	0.10	4.50	
	2	30.00	0.80	0.15	7.20	
	2	30.00	0.60	0.10	3.60	
	2	30.00	0.75	0.15	6.75	
	2	17.00	0.65	0.20	4.42	
3rd cross LHS	2	30.00	0.70	0.20	8.40	
	2	30.00	0.85	0.10	5.10	
3rd cross LHS	2	30.00	0.85	0.10	5.10	
	2	24.10	0.60	0.10	2.89	
4th cross LHS	2	30.00	0.75	0.10	4.50	
	2	30.00	0.60	0.15	6.00	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		2	20.00	0.75	0.20	6.00	
	Interior Road	2	30.00	0.50	0.15	4.50	
		2	8.00	0.75	0.12	1.44	
		2	20.00	0.60	0.10	3.60	
		2	18.10	0.70	0.15	3.80	
		2	22.10	0.70	0.20	6.45	
	5th cross Rds	2	30.00	0.60	0.15	5.40	
		2	23.10	0.50	0.15	3.47	
	4th cross Rds	2	30.00	0.75	0.12	5.40	
		2	30.60	0.70	0.20	8.57	
	3rd cross Rds	2	30.00	0.70	0.20	8.30	
		2	30.00	0.65	0.20	7.80	
		2	9.30	0.90	0.10	1.67	
	1st cross Rds	2×3	30.00	0.90	0.15	24.30	
		2×2	30.00	0.95	0.10	11.40	

M. A. R. 57
Measurem

..... From .....

Name of nature of Agency.....

Name of work.....

Full description, etc, of work 2	Dim Number 3	Length 4
	1	7.90
5th cross	2×1	30.00
	1	29.00
	1	25.00
CRF	1	35.30
CRE	2	30.00
	1	30.00
	1	11.00
CRH	1	30.00
	1	30.00
	1	18.10

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to M
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	30.00	0.65	0.20	7.80	
		1	28.00	0.70	0.15	2.94	
	CR I	1	30.00	0.60	0.15	2.75	
	CR J	1	30.00	0.80	0.15	3.60	
		1	28.00	0.70	0.20	3.92	
		1	30.00	0.60	0.15	2.76	
		1	30.00	0.75	0.10	2.25	
						726.30 cum	
					@	65.22/cu	47369.[illegible]
2)	loading and unloading of stones boulders/stone aggregate/sand kankar/moorum placing ripper at loading point loading with boat and loader dumping lurning at unpaved						

M. A. R. 57 (Rule
Measurement Bo

From .....

		Dimensions		
	Number	Length	Br	
	3	4		
1st cross LHS	2x3	30.00		
2nd cross LHS	2x2	30.00		
	2	20.50		
3rd cross LHS	2	30.00		
	2	34.00		
	2	30.00		

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183151

From ..... To .....

Name of Nature of Agency.....

Description of work.....

Description, etc. of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Qty vide Item No. (1)				535.00 cu	
				@	77.46/cu	41444.00
Making RS slab & drains and stacking etc complete as per specification etc						
1st cross LHS	2x3	30.00	-	1.35	243.00	
2nd cross LHS	2x2	30.00	-	1.35	162.00	
	2	20.50	-	1.65	67.65	
3rd cross LHS	2	30.00	-	1.65	99.00	
	2	34.00	-	1.65	112.20	
	2	30.00	-	1.65	99.00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to Measure
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	30.00	-	1.65	99.00	
		2	16.50	-	1.65	47.85	
		2	31.70	-	1.65	104.61	
	1st cross RHS	3x2	30.00	-	1.65	297.00	
	2nd cross RHS	3x2	30.00	-	1.65	297.00	
	3rd cross RHS	2	32.70	-	1.65	107.91	
		2x2	30.00	-	1.65	198.00	
		2	35.30	-	1.65	116.49	
		4x2	30.00	-	1.65	396.00	
		2	25.00	-	1.65	82.50	
						2612.85 rm	
					@	49.61/rm	129594.00
4)	Refixing stone slabs of drains and pointing in CM(1:3) etc complete as per specification etc complete						

M. A. R. 57 (Rul

Measurement B

..... From .....

..... of nature of Agency.....

..... of work.....

Full description, etc, of work		Dimension		
	Number	Length	Br	
2	3	4		
	8/9	Wide item		
Granite slabs of selected quality				
including fixing curing etc complete				
1st cross LHS	2	30.00		
2nd — " —	2	30.00		
	1	20.50		
	1	30.00		
	1	34.00		
3rd cross LHS	1	30.00		

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183152

From ..... To .....

Name of nature of Agency .....

Description of work .....

Description, etc. of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Q/4 wide item No:			②	2612.25 sq	
				@	69.34/sq	181133=00
Providing granite slabs of selected quality roughly dressed and fixed in cement including fixing curing etc complete 7.5 cm thick etc complete						
1st cross LHS	2	30.00	–	1.35	81.00	
2nd – " –	2	30.00	–	1.35	81.00	
	1	20.50	–	1.35	33.83	
	1	30.00	–	1.65	49.50	
	1	34.00	–	1.65	56.10	
3rd cross LHS	1	30.00	–	1.65	49.50	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to la Measur
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	14.50	-	1.65	23.93	
		5	30.00	-	1.65	247.50	
	2nd cross RHS	1	32.20	-	1.65	53.96	
		3	30.00	-	1.65	148.50	
		1	28.40	-	1.65	46.86	
						870.75 Rm	
					@	340.0/Rm	296066
6)	providing laying spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at one in mechanical mix plant to complete.						
	1st cross LHS	1	30.00	$\frac{(5.8+6.0)}{2}$	0.15	26.55	
		1	30.00	$\frac{(6.0+5.8)}{2}$	0.10	17.40	
		1	30.00	$\frac{(5.6+5.8)}{2}$	0.10	17.10	

M. A. R. 57 (
Measureme

..... From .....
Nature of Agency.....
Length of work.....

Full description, etc, of work		Dime
	Number	Length
	3	4
	1	30.00
	1	17.00
2nd cross LHS	1	30.00
	1	24.90
3rd cross LHS	1	30.00
	1	24.60
1st cross RHS	1	30.00
	1	30.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183153

From ..... To .....

Name and nature of Agency.....

Name of work.....

Full description, etc, of work 2	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	1	30.00	(5.8+5.2)/2	0.15	24.75	
	1	17.00	(5.2+6.3)/2	0.10	9.78	
2nd cross LHS	1	30.00	(5.0+4.9)/2	0.10	14.85	
	1	24.90	(4.9+6.0)/2	0.15	20.36	
3rd cross LHS	1	30.00	(5.6+5.0)/2	0.15	23.88	
	1	24.60	(5.0+5.4)/2	0.10	12.53	
1st cross RHS	1	30.00	(5.8+5.5)/2	0.15	25.43	
	1	30.00	(5.5+5.4)/2	0.10	16.35	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	(5.4+5.0)/2	0.10	15.60	
		1	30.00	(5.0+4.6)/2	0.10	14.40	
		1	30.00	(4.6+4.5)/2	0.10	13.65	
		1	7.90	(4.5+4.4)/2	0.10	2.52	
						250.76 cum	
					@	1109.83/cum	278301
7)	Providing and applying primer coat from 12.20 to 14.6 kg per 10 sq m for surfaces of high porosity over prepared surface of granular base with cut back MC 70 or any other eq complete						
	1st cross LHS	1	30.00	(5.8+6.0)/2	-	177.00	
		1	30.00	(6.0+5.6)/2	-	176.00	

M. A. R. 57 (I
Measureme

..... From .....

Name of nature of Agency.....

Description of work.....

Full description, etc, of work	Dimen	
	Number	Length
2	3	4
	1	30.00
	1	30.00
	1	17.00
2nd cross LHS	1	30.00
	1	24.90
3rd cross LHS	1	30.00
	1	24.10
4th cross RHS	1	30.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183154

..... From ..... To .....

Name of nature of Agency.....

Description of work.....

Description, etc. of work 2	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	1	30.00	$\frac{(5.6+5.8)}{2}$	-	171.00	
	1	30.00	$\frac{(5.8+5.2)}{2}$	-	165.00	
	1	17.00	$\frac{(5.2+6.3)}{2}$	-	97.75	
4th cross LHS	1	30.00	$\frac{(5.0+4.9)}{2}$	-	148.50	
	1	24.90	$\frac{(4.9+6.0)}{2}$	-	135.71	
5th cross LHS	1	30.00	$\frac{(5.6+6.0)}{2}$	-	159.00	
	1	24.10	$\frac{(5.0+5.4)}{2}$	-	125.32	
4th cross RHS	1	30.00	$\frac{(5.0+4.9)}{2}$	-	148.50	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	(4.9+4.7)/2	-	144.00	
		1	20.00	(4.7+5.0)/2	-	97.00	
	5th cross LHS	1	30.00	(4.7+5.3)/2	-	145.50	
		1	30.00	(5.3+4.5)/2	-	150.00	
		1	30.00	(5.3+4.5)/2	-	147.00	
		1	32.00	(4.5+5.0)/2	-	152.00	
	Interior Road	1	30.00	(6.0+4.4)/2	-	156.00	
		1	8.00	(4.4+4.8)/2	-	36.80	
		1	30.00	(5.5+5.4)/2	-	163.50	
		1	18.10	(5.4+6.0)/2	-	103.17	
		1	22.10	(6.0+5.5)/2	-	127.08	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183155

From ..... To .....

Name and nature of Agency.....

Name and nature of work .....

Description, etc. of work 2	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
2nd cross RHS	1	30.00	(5.60+4.8)/2	–	153.00	
	1	23.10	(4.8+4.4)/2	–	100.49	
4th cross RHS	1	30.00	(5.5+5.1)/2	–	159.00	
	1	30.60	(5.1+5.4)/2	–	160.65	
3rd cross RHS	1	30.00	(5.1+5.2)/2	–	156.00	
	1	30.00	(5.3+4.9)/2	–	153.00	
	1	9.30	(4.9+4.5)/2	–	43.71	
1st cross RHS	1	30.00	(5.8+5.5)/2	–	169.50	
	1	30.00	(5.5+5.4)/2	–	163.50	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Refer... to le... Measur... 8
		1	30.00	$\frac{(5.4+5.6)}{2}$	-	156.00	
		1	30.00	$\frac{(5.0+4.8)}{2}$	-	144.00	
		1	30.00	$\frac{(4.6+4.5)}{2}$	-	136.50	
		1	7.90	$\frac{(4.5+4.4)}{2}$	-	35.16	
	5th cross	1	30.00	$\frac{(5.1+5.2)}{2}$	-	154.50	
		1	30.00	$\frac{(5.2+4.8)}{2}$	-	150.00	
		1	29.00	$\frac{(4.8+5.6)}{2}$	-	150.90	
		1	25.00	$\frac{(4.8+5.6)}{2}$	-	130.00	
	CRF	1	35.30	$\frac{(5.5+3.1)}{2}$	-	158.85	
	CRG	1	30.00	$\frac{(4.0+4.5)}{2}$	-	127.50	
		1	30.00	$\frac{(4.5+4.0)}{2}$	-	127.50	

M. A. R. 57 (
Measureme

... From ...

Full description, etc, of work 2	Dimens Number 3	Length 4
	1	30.00
CRH	1	11.00
	1	30.00
	1	30.00
	1	18.10
	1	30.00
	1	30.00
	1	28.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183156

From ..... To .....

Name of nature of Agency.....

Name of part of work.....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
	3	4	5	6	7	8
	1	30.00	(4.0+5.8)/2	-	148.50	
	1	11.00	(5.9+6.0)/2	-	65.45	
CRM	1	30.00	(6.5+5.0)/2	-	172.50	
	1	30.00	(5.0+5.3)/2	-	154.50	
	1	18.10	(4.5+6.0)/2	-	95.03	
	1	30.00	(4.6+4.8)/2	-	141.00	
	1	30.00	4.80	-	144.00	
	1	28.00	(4.8+3.9)/2	-	121.80	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement Book
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	CRI	1	30.00	(6.0+6.2)/2	-	186.66	
		1	30.00	(6.2+5.0)/2	-	140.00	
		1	30.00	(5.4+4.8)/2	-	153.00	
		1	30.00	(4.8+4.4)/2	-	130.50	
						746.00 m	
					@	43.84/sq	32704
8)	Providing and laying semi dense bituminous concrete 25mm thick with 100-120 TPH batch type HMP providing an average output of 75 tonnes per hour is complete						
	1st cross LHS	1	30.00	(5.8+6.0)/2	0.025	4.43	
		1	30.00	(6.0+5.6)/2	0.025	4.35	

M. A. R. 5
Measure

From .....

Name of Agency .....

Description of work .....

Full description, etc. of work	Number	D Leng
	1	30
	1	30.0
	1	17.0
2nd cross LHS	1	30.00
	1	24.9
3rd cross LHS	1	30.00
	1	24.10
4th cross LHS	1	30.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183157

..... From ..... To .....

Name of nature of Agency.....

Description of work.....

Full description, etc. of work	Number	Dimensions Length	Breadth	Depth	Contents	Reference to last Measurement
	3	4	5	6	7	8
	1	30.00	(5.6+5.8)/2	0.025	4.28	
	1	30.00	(5.8+5.2)/2	0.025	4.13	
	1	17.00	(5.2+6.3)/2	0.025	2.44	
2nd cross LHS	1	30.00	(5.0+4.9)/2	0.025	3.71	
	1	24.90	(4.9+6.0)/2	0.025	3.39	
3rd cross LHS	1	30.00	(5.6+5.0)/2	0.025	3.98	
	1	24.10	(5.0+5.4)/2	0.025	3.13	
4th cross LHS	1	30.00	(5.0+4.9)/2	0.025	3.71	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Refer to Measu 8
		Number 3	Length 4	Breadth 5	Depth 6		
	5th Cross LHS	1	30.00	(4.9+4.7)/2	0.025	3.60	
		1	20.00	(4.7+5.0)/2	0.025	2.42	
		1	30.00	(5.0+4.7)/2	0.025	3.66	
		1	30.00	(4.7+5.3)/2	0.025	3.75	
		1	20.00	(5.3+4.5)/2	0.025	2.68	
	Interior Road	1	22.00	(4.5+5.0)/2	0.025	2.80	
		1	30.00	(6.0+4.4)/2	0.025	3.90	
		1	8.00	(4.4+4.8)/2	0.025	0.92	
		1	30.00	(5.5+5.4)/2	0.025	4.09	
		1	18.10	(5.4+6.0)/2	0.025	2.58	
		1	22.10	(6.0+5.5)/2	0.025	3.18	

M. A. R. 57 (R
Measuremen

..... From .....
...of nature of Agency.....
...of work.....

Full description, etc, of work 2	Number 3	Dimensio Length 4	B
5th Cross RHS	1	30.00	(5
	1	23.10	(4.
6th Cross RHS	1	30.00	(5.5
	1	30.60	(5.1
7th Cross RHS	1	30.00	(5.1
	1	30.00	(5.3
	1	9.30	(4.9+
1st Cross RHS	1	30.00	(5.8+5

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183158

..... From ..... To .....

Name of nature of Agency.....

Description of work.....

Description, etc. of work	Number	Dimensions Length	Breadth	Depth	Contents	Reference to last Measurement
	3	4	5	6	7	8
5th cross Rds	1	30.00	(5.4+4.8)/2	0.025	3.83	
	1	23.10	(4.8+4.4)/2	0.025	2.51	
6th cross Rds	1	30.00	(5.5+5.1)/2	0.025	3.98	
	1	30.60	(5.1+5.4)/2	0.025	4.02	
3rd cross Rds	1	30.00	(5.1+5.3)/2	0.025	3.80	
	1	30.00	(5.3+4.9)/2	0.025	3.83	
	1	9.30	(4.9+4.5)/2	0.025	1.09	
1st cross Rds	1	30.00	(5.8+5.5)/2	0.025	4.24	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement Book
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	(5.5+5.4)/2	0.025	4.09	
		1	30.00	(5.4+5.0)/2	0.025	3.80	
		1	30.00	(5.0+4.6)/2	0.025	3.60	
		1	30.00	(4.6+4.5)/2	0.025	3.45	
		1	7.90	(4.5+4.4)/2	0.025	0.88	
	sln cross	1	30.00	(5.1+5.2)/2	0.025	3.86	
		1	30.00	(5.2+4.8)/2	0.025	3.75	
		1	29.00	(4.8+5.0)/2	0.025	3.77	
		1	25.00	(4.8+5.6)/2	0.025	3.25	
	CRF	1	35.30	(5.9+3.1)/2	0.025	3.97	
	CRG	1	30.00	(4.0+4.5)/2	0.025	3.19	

M. A. R. 57 (Rule
Measurement B

..... From .....

Name of Nature of Agency.....

Description of work.....

Full description, etc, of work	Dimensions		
	Number	Length	Bre
	3	4	5
	1	30.00	(4.5+
	1	30.00	(4.0+
	1	11.00	(5.9+
CRH	1	30.00	(6.5+
	1	30.00	(5.0+
	1	18.10	(4.5+
	1	30.00	(4.6+4
	1	30.00	4.80
	1	28.00	(4.8+3.

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183159

From ..... To .....

Name of Nature of Agency.....

Description of work.....

Description, etc. of work 1	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	1	30.00	(4.5+4.0)/2	0.025	3.18	
	1	30.00	(4.0+5.9)/2	0.025	3.71	
	1	11.00	(5.9+6.0)/2	0.025	1.64	
C R M	1	30.00	(6.5+5.0)/2	0.025	4.31	
	1	30.00	(5.0+5.3)/2	0.025	3.86	
	1	18.10	(4.5+6.0)/2	0.025	2.38	
	1	30.00	(4.6+4.8)/2	0.025	3.53	
	1	30.00	4.80	0.025	3.60	
	1	28.00	(4.8+3.9)/2	0.025	3.05	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement Book
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
	CR I	1	30.00	$\frac{(6.0+6.7)}{2}$	0.025	4.67	
	CR J	1	30.00	$\frac{(6.25+5.0)}{2}$	0.025	4.20	
		1	30.00	$\frac{(5.4+4.8)}{2}$	0.025	3.83	
		1	30.00	$\frac{(4.8+4.4)}{2}$	0.025	3.26	
			28.00	5.00	0.025	3.50	
						186.50 cm	
						@ 8770.65/cm	1635726.00
						Total	2536674=00

checked & found all items are correct
D.K. Wadhwa Engg

30/8/2014

certificate:
certified that the above work done is satisfactorily.

AE

M. A. R. 57 (Ru
Measurement

From .....
Name of Nature of Agency.....
Nature of work .....

Full description, etc, of work	Number 3	Length 4	Dimensio
Sketch showing the wo			
	78.104		232.00
Amco Lanour			
Kendriya Vidyalaya	89.004	60.00m	69.304
			60.00m
Hum Ban Gaon Ka Sarkar			
	137.00	80.00m	50.00m
			80.00m

AE

M. A. R. 57 (Rule 116)
Measurement Book

No. B 183160

..... From ..... To .....

Name of Nature of Agency .....

Description of work .....

Description, etc. of work	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
Sketch showing the work done spot:						

1635726=00

2936674=00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length		Depth		
1	2	3	4		6	7	8
	29,36,774=00						
	4,39,584=00						
	24,96,690=00						

IT — 58733 —
VAT — 117467 —
Fee — 176200 —
Lic — 29367 —
CBPF — 2937 —
Roy — 55280 —
4,39,584=00

14/3

Road C

Road D

Road E

1st cross

2nd cross

3rd cross